



THE
CONE
COLLECTOR

Filmer 2011.

Nomenclature and Taxonomy in Living Conidae

Section D dactylosus to dux

Copyright © 2011.R Filmer Conditions of use.

The content of this website is provided for personal and scientific use and may be downloaded for this purpose. It may not be used in whole or part for any commercial activity and publication of any of the content on the internet is limited to the Cone Collector website(www.TheConeCollector.com). Authors wishing to publish any of the pictures may do so on a limited basis but should inform M Filmer so that the original owner of the rights to the picture can be acknowledged.

(mike@mfilmer.fsnet.co.uk)

Version 1.0 October 2011.

dactylosus Kiener, 1845 (1847).

Published in Coq. Viv. 2: pl. 97, fig. 2, (1850, Coq. Viv. 2: p. 306, no. 272).

Holotype was in collection A.C. Bernardi acquired by M. Gubba then in MHNH, destroyed in World War 2, (36 x ? mm), holotype representative (Lauer) figure in C. V. pl. 97, fig. 2 (fig. 39 x 14 mm).

Type locality not mentioned.

Nomenclatural status, an available name.

Taxonomic status, a synonym (form) of *C. auricomus* Hwass, 1792.



dahlakensis (subspecies *textile* Linnaeus) da Motta, 1982.


Published in Publcoes. Occ. Soc. port. malac. (1): p. 5, figs 5a & b.

Holotype in MHNG, (87 x 40 mm).

Type locality Dahlak Archipelago, off Massawa in the Red Sea, (shallow waters).

Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. neovicarius* da Motta, 1982, (a synonym (form) of *C. textile* Linnaeus, 1758).



dakarensis Lozet & Rosso in Lozet, 1978.

Published in *Le Peigne de Venus, Coquillages du Monde Entier*: p. 99, not figured.

Specimen named whereabouts unknown, (? mm).

Locality Cape Verde.

Nomenclatural status, an unavailable name (nomen nudum), named but not described, indicated or figured.

Taxonomic status, none. (This specimen has now been described as *C. dorotheae* Monnier & Limpaléar, 2010)

dalli Stearns, 1873.

Published in *Proc. Calif. Acad. Sci.* 5 (1): p. 78, pl. 1, fig. 1.

Lectotype (C, M & W) in USNM, (52.1 x 27.9 mm).

Type locality Three Marias Isles, Gulf of California.

Nomenclatural status, an available name.

Taxonomic status, a valid species.



damasoi Cossignani, 2007.

Published in Malacologia no. 55: p.11 & figs.

Holotype in MMM, (16.3 x 8.3 mm).

Type locality Camocin, Ceará, Brazil, (30 - 40 mtrs).

Nomenclatural status, an available name.

Taxonomical status, a valid species.



damottai Trovão, 1979.

Published in Amphitrite 1 (1): p. 8, pl. 1, fig. 2, pl. 2, fig. 2.

Holotype in NHMUK, (20.6 x 12.7 mm).


Type locality das Gatas Bay, Isle of Boavista, Cape Verde Islands, (on coral, 0.5 - 3 mtrs).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



dampierensis Filmer & Coomans in Coomans & Filmer, 1985.
Published in *Beaufortia* 35 (1): p. 4, figs 5 - 7 & map 1.
Holotype in NBC-ZMA, (32.5 x 18.3 mm).
Type locality Back Beach, Dampier, West Australia, (on muddy sand, intertidal).
Nomenclatural status, an available name.
Taxonomic status, a valid species.



danieli Crosse, 1858.
Published in *Revue Mag. Zool.* 2 (10): p. 122.
Holotype of *C. jaspideus* Kiener lost, figure pl.55, fig.4 (33 x 17 mm)
Type locality of *C. jaspideus* Algoa Bay, South Africa.
Nomenclatural status, an available name, a new replacement name (nomen novum) for *C. jaspideus* Kiener, 1845 (1846).
Taxonomic status, a synonym of *C. scitulus* Reeve, 1849, (a subspecies of *C. algoensis* Sowerby I & II, 1834).



Figure of *C. jaspideus* Kiener.

danilai Röckel & Korn, 1990.

Published in Acta Conch. (2): p. 46, pl. 10, row 2, figs 1 - 5, row 3, fig. 1.

Holotype in SMNS, (30.5 x 17 mm).

Type locality Ras Fartak, Gulf of Aden, N.W. Indian Ocean, (60 mtrs).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



daphne Boivin, 1864.

Published in J. Conch. Paris, 12: p. 35, pl. 1, figs 7 & 8.

Holotype was in collection A. Boivin, present whereabouts unknown. (fig. 35 x 19 mm).

Type locality Indian Ocean, corrected (Filmer) Moluccas, Indonesia.

Nomenclatural status, an available name.

Taxonomic status, a valid species.



Figures in Boivin.

darkini Röckel, Korn & Richard, 1993.

Published in Conchiglia 25 (267): p. 48, figs 1 - 4.

Holotype in MNHN, (55.7 x 24.4 mm).

Type locality Loyalty Isl., (off New Caledonia), (575 mtrs).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



daucus Hwass in Bruguière, 1792.

Published in Enc. Méth. 1: p. 651, no. 51, (1798, Tab. Enc. pl. 327, figs 3, 4 & 9).

Type figure designated (Clench) figure in Chemnitz, 1788, pl. 144A, fig. L, (fig. 42 x 24 mm).

Type locality Islands of Dominique, Guadeloupe and Martinique, American Seas, restricted (Clench) to Guadeloupe, (Leeward Islands).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



daucus (Röding), 1798.

Published in Mus. Bolten 2: p. 47, no. 600/95, not figured.

Specimen named whereabouts unknown, (? mm).

Locality not mentioned.

Nomenclatural status, an unavailable name (nomen nudum), named but not described or figured.

Taxonomic status, none, (probably an error for *C. daucus* Hwass, 1792).

daullei Crosse, 1858.


Published in Revue Mag. Zool. 2 (10): p. 81 & p. 119, pl. 2, figs 2 & 2a.

Holotype may have been in collection J.C.H. Crosse, present whereabouts unknown, (fig. 70 x 33 mm).

Type locality Mayotte Island, Comores Islands, between Mozambique and Madagascar.

Nomenclatural status, an available name.

Taxonomic status, a synonym (form) of *C. consors* Sowerby I & II, 1833.



Figures in Crosse.

dautzenbergi Fenaux, 1942.

Published in Bull. Inst. oceanogr. Monaco, (814): p. 2, fig. 2.

Holotype whereabouts unknown, (fig. 41 x 18 mm).

Type locality Madagascar.

Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. fuscatus* Born, 1778, (a synonym (form) of *C. imperialis* Linnaeus, 1758).



Figure in Bull.Inst.

dayriti Röckel & da Motta, 1983.

Published in Bull. Inst. malac. Tokyo, 1 (8): p. 118, pl. 40, figs 5 & 6.

Holotype in NMSF, (20.6 x 11.5 mm).

Type locality Punta Engano, Cebu, (Philippines), (netted, 40 - 80 fths).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



(*Chelyconus*) **dealbatus** A. Adams in H. & A. Adams, 1853.

Published in The Genera of Recent Mollusca 1: p. 253, not figured, (1854, Proc. zool. Soc. Lond. pt. 21, no. 255: p. 117, no. 8, (as *Conus*), not figured).

Holotype in NHMUK, (24.3 x 12.7 mm).

Type locality not known.

Nomenclatural status, an available name.

Taxonomic status, uncertain (*incertae cedis*), probably a fossil.



debilis (variety *mediterraneus* Hwass) Monterosato, 1917 ("1915").
Published in Boll. Soc. zool. ital. 3 (4): p. 26, pl. 1, fig. 25.
Type series may be in collection T. di I. Monterosato, now in MCR
but no longer identifiable, (? mm), (figure 25 on pl. 1, (30 x 14
mm) is not part of type material).

Type locality Bu-Kemmasc, Tripoli, Libya, (at the base of
brackish algae).

Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. ater* Philippi, 1836, (a synonym
of *C. ventricosus* Gmelin, 1791).



Figure in Monterosato.

debilis Fenaux, 1943.

Published in Bull. Inst. oceanogr. Monaco, (834): p. 4, fig. 11.
Holotype representative (Lauer) figure in Fenaux, fig. 11, (fig.
34 x 13 mm).

Type locality New Guinea.

Nomenclatural status, an available name, an invalid name, a
homonym of *C. debilis* Monterosato, 1917.

Taxonomic status, a synonym of *C. dactylosus* Kiener, 1845 (1847),
(a synonym (form) of *C. auricomus* Hwass, 1792).



Figure in Bull. Inst.

deburghiae Sowerby II, 1857.

Published in Thes. Conch. 3 (*Conus*), pt. 17: p. 2, no. 7, pl. 1 (187), figs 6 & 7.

Type series was in collection Mrs. De Burgh, present whereabouts unknown, (? mm), (three specimens in the NHMUK type collection are not part of type material), lectotype representative (C, M & W) figure in T. C. pl. 1, fig. 6, (fig. 58 x 31 mm).

Type locality Moluccas, (Indonesia), (Mrs. De Burgh).

Nomenclatural status, an available name.

Taxonomic status, a synonym (form) of *C. nocturnus* Lightfoot, 1786.



decoratus "S" Lightfoot, 1786.

Published in Cat. Portland Mus: p. 55, no. 1305 & p. 155, no. 3391, not figured.

Specimen(s) named sold at auction, present whereabouts unknown, (? mm).

Locality not mentioned.

Nomenclatural status, an unavailable name (nomen nudum), named but not described or figured.

Taxonomic status, none.

decoratus Röckel, Rolán & Monteiro, 1980.


Published in Cone Shells from Cape Verde Islands: p. 61, figs 30 & 31, pl. 2, figs 2, 4 & 5.

Holotype in NMSF, (20.6 x 11.1 mm).

Type locality Matiota Beach, San Vicente Island, Cape Verde Islands, (rocks and sand, 1 - 3 mtrs).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



decrepitus Kiener, 1845 (1847).

Published in Coq. Viv. 2: pl. 99, fig. 4, (1849) (1850), Coq. Viv. 2: p. 263, no. 230).

Holotype was in collection A.C. Bernardi acquired by M. Gubba then in MHNH, destroyed in World War 2, (38 x ? mm), (fig. 40 x 20 mm).

Type locality coasts of New Holland, (Australia) and the southern ocean.


Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. cocceus* Reeve, 1844.



Figures in Coq. Viv.

decurtata (variety *magus* Linnaeus) Dautzenberg, 1910.
Published in J. Conch. Paris, 58: p. 26, not figured.
Lectotype (C, M & W) in IRSN, (28.5 x 16.7 mm).
Type locality Rua-Sura, Solomons archipelago.
Nomenclatural status, an available name.
Taxonomic status, a synonym (form) of *C. striolatus* Kiener, 1845 (1848).



delanoyae Trovão, 1979, originally named ***delanoyi*** but justifiably emended by Monteiro, Fernandes & Rolán to the female gender, World Shells (12): p. 11, 1996 ("1995"), (also used by Lauer & Richard in 1989)
Published in Amphitrite 1 (1): p. 3, pl. 1, fig. 1, pl. 2, fig. 1.
Holotype in NHMUK, (27.2 x 16.2 mm).
Type locality das Gatas Bay, Boavista Isle, Cape Verde Islands, (rocks, 1.5 mtrs).
Nomenclatural status, an available name.
Taxonomic status, a synonym (form) of *C. cuneolus* Reeve, 1843.



delessertii Récluz, 1843.

Published in *Revue zool.* 6: p. 2, pl. 42, not figured.

Holotype in MHNG, (61.5 x 30 mm).

Type locality off coast of Socotra Island, the Red Sea,
(erroneous), corrected (C, M & W) off Cape Canaveral, Florida.

Nomenclatural status, an available name.

Taxonomic status, a valid species.



(*Asperi*) **delicatus** Schepman, 1913.

Published in *The Prosobranchia of the Siboga Expedition*, pt. 5,
Toxoglossa: p. 392, pl. 25, fig. 3.

Holotype in NBC-ZMA, (17.5 x 6 mm, orig. desc. 18.5 x 6 mm).

Type locality Madura Bay, (Java), Indonesia, (sand, 69 - 91
mtrs).

Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. aculeiformis* Reeve, 1844.



delucai Coltro, 2004.

Published in Strombus no. 011: p. 3, pl. 3, fig. A, pl. 10, figs H1 & P1 - 11.

Holotype in MZUSP, (13 x 6.7 mm).

Type locality 75 kms E Abrolhos Archipelago off Alcobaça, Bahia State, Brazil, (rubble and coral sand bottom at 15 - 25 mtrs on offshore reefs).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



demarcoi "de Marco" Wagner & Abbott, 1978.

Published in Standard Catalog of Shells: p. 25-016, not figured. Specimen named whereabouts unknown, (? mm).

Locality not mentioned.

Nomenclatural status, an unavailable name (nomen nudum), no intention to introduce a new name, named but not described, indicated or figured.

Taxonomic status, none, (mentioned as a fictitious name for *C. bajanensis* Nowell-Usticke, 1968).

Afroconus **denizi** Afonso & Tenorio, 2011.


Published in *Gloriamaris* vol. 50 (5): p. 125 & pl.

Holotype MCNM, (11.6 x 6.3 mm)

Type locality Praia Grande, Calhau, Northeast coast of São Vicente Island, Cape Verde Archipelago, (in rock crevices and sea urchin holes, 0.5 to 1.5 meters).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



dentatus Schröter, 1803.

Published in *Arch. Zool. Zoot.* 3 (2): p. 74, not figured.

Holotype whereabouts unknown, (app. 13 x ? mm).

Type locality not mentioned.

Nomenclatural status, an available name.

Taxonomic status, an invalid name, not in Family Conidae, in Family Mitridae, as suspected by Schröter.

deprehendens Prella, 2009.

Published in Malacologia no.62: p.I, & figs.

Holotype in MMM, (76.4 x 45 mm).

Type locality Tulear South West Madagascar, (in the market).

Nomenclatural status, an available name.

Taxonomic status, a synonym (form) of *C. betulinus* Linnaeus, 1758.



depriesteri (variety *thalassiarchus* Sowerby) Wils, 1972.


Published in Family Conidae 8: p. 73, no. 121, not figured.

Specimen described in NBC-ZMA, (64.2 x 34.8 mm).

Locality not mentioned, (label states Palawan, Philippines).

Nomenclatural status, an unavailable name (nomen nudum), described as a variety after 1960.

Taxonomic status, none, (a specimen of *C. thalassiarchus* Sowerby I & II, 1834).



derrubado Rolán & Fernandes in Rolán, 1990.

Published in *Iberus*, Sup. 2: p. 19, pl. 1, fig. 4, pl. 2, fig. 4, pl. 4, fig. I & pl. 6, fig. F.

Holotype in MNCM, (28.6 x 19.8 mm).

Type locality Derrubado Bay, northern Boavista Island, Cape Verde Islands, (near rocks).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



deshayesii Reeve, 1843.

Published in *Conch. Icon.* 1 (*Conus*): pl. 5, sp. 28, (published Jun), (1844, *Proc. zool. Soc. Lond.* pt. 11, no. 130: p. 168, not figured, published Jun).

Lectotype (C,M & W) of *C. cervus* Sowerby in IRSN, (51.2 x 27.4 mm)

Type locality of *C. cervus* Sowerby Swan River Australia (Reeve, 1843) (erroneous), corrected (C.M & W) Djibouti (Somalia).

Nomenclatural status, an available name, a new replacement name (nomen novum) for *C. cervus* Sowerby I & II, 1838, an invalid name, a homonym of *C. deshayesii* Bellardi & Michelotti, 1841 (fossil), renamed *C. cuvieri* Crosse, 1858.

Taxonomical status, a synonym of *C. cuvieri* Crosse, 1858.



Lectotype of *C. cervus* Sowerby.

desidiosus A. Adams, 1854 ("1853").

Published in Proc. zool. Soc. Lond. pt. 21, no. 255: p. 119, no. 24, not figured.

Holotype in NHMUK, (24.1 x 11.6 mm).

Type locality West Africa, (Cuming), (erroneous), corrected (G. Raybaudi) eastern coast of Lampedusa Isl., Pelagie Group, Italy, (mud and fine sand, 11 - 13 mtrs).

Nomenclatural status, an available name.

Taxonomic status, a synonym (form) of *C. ventricosus* Gmelin, 1791.



desmotus Tomlin, 1937.


Published in Proc. malac. Soc. Lond. 22 (4): p. 206.

Holotype of *C. catenatus* Sowerby in NMWC, (31.4 x 15 mm).

Type locality of *C. catenatus* Panama (East coast).

Nomenclatural status, an available name, a new replacement name (nomen novum) for *C. catenatus* Sowerby III, 1879.

Taxonomic status, a synonym of *C. granarius* Kiener, 1845 (1847), (a subspecies of *C. mappa* Lightfoot, 1786).



Holotype of *C. catenatus* Sowerby.

detritus (variety *lividus* Hwass) Menke, 1830.

Published in Synopsis Methodica Molluscorum Generum Omnium et Specierum etc. 2nd ed. Pyrmont: p. 73, not figured.

Type series whereabouts unknown, cited figure in Martini, 1773, pl. 53, fig. 589, (fig. 38 x 20 mm).

Type locality not known.

Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. lividus* Hwass, 1792, (figure cited is the same as that cited for *C. fasciata* Menke, 1828).




Figure in Martini.

(*Magelliconus*) **deynzerorum** Petuch, 1995.


Published in Conchiglia 27 (275): p. 36 & figs.

Holotype in FMNH, (13.5 x 7 mm).

Type locality Banco Chinchorro Atoll, Quintana Roo, Mexico, (East coast), (under coral slabs in lagoon, 3 mtrs).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



diadema Sowerby I & II, 1834.

Published in Conch. Ill. (*Conus*): pl. 57, fig. 88, (published Apr), (Proc. zool. Soc. Lond. pt. 2, no. 15: p. 19, not figured, published Jun).

Lectotype representative (Kohn) figure in C. I. pt. 57, fig. 88, (fig. 42 x 24 mm).

Type locality not mentioned, (Galapagos Islands, rock clefts, low water, in Proc. zool. Soc. Lond.).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



dianthus Sowerby III, 1882.

Published in Proc. zool. Soc. Lond. unnumbered (50), pt. 1: p. 118, pl. 5, fig. 4.

Holotype in NMWC, (27.6 x 15 mm. orig. desc. 28 x 13 mm).

Type locality not known, designated (C, M & W) Jamaica.

Nomenclatural status, an available name.

Taxonomic status, a subspecies of *C. cardinalis* Hwass, 1792.



(*Leptoconus*) ***dictator*** Melvill, 1898.

Published in Mem. Proc. Manchr. lit. phil. Soc. 42 (4): p. 9, pl. 1, fig. 10.

Holotype in NHMUK, (46 x 19 mm. orig. desc. 47 x 20 mm).

Type locality Sheikh Shuaib Island, Persian Gulf, (coral sand, 10 fths), (Townsend).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



dieteri Moolenbeek, Zandbergen & Bouchet, 2008.

Published in Vita Malacologica 6: p. 29, pl. 1, figs 7 - 8 & pl. 4, fig. 17.

Holotype in MNHN, (16.9 x 9.2 mm).

Type locality Marquesas Archipelago, Nuku Hiva, (140 mtrs).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



dilectus Gould, 1850 ("1849").

Published in Proc. Boston Soc. nat. Hist. 3: p. 172, not figured, (1852, U. S. Exploring Expedition 12: p. 286, pl. 21, fig. 367 & 367a).

Holotype in USNM, (12.8 x 5.8 mm).

Type locality Feejee (Fiji) Islands.

Nomenclatural status, an available name.

Taxonomic status, a synonym (juvenile) of *C. textile* Linnaeus, 1758.



dillwynii Reeve, 1849.


Published in Conch. Icon. 1 (*Conus*): Emend. p. 1 & 2, not figured.

Lectotype (Röckel & Moolenbeek) of *C. piperatus* Reeve in NHMUK, (27.7 x 14.9 mm)

Type locality of *C. piperatus* not known.

Nomenclatural status, an available name, a new replacement name (nomen novum) for *C. piperatus* Reeve, 1843.

Taxonomic status, a synonym of *C. erythraeensis* Reeve, 1843.



Lectotype of *C. piperatus* Reeve.

textile form "*diluta*" Bozzetti, 2009.

Published in *Malacologia* no. 64: p.11 & fig.

Specimen figured whereabouts unknown, (fig.45 x ? mm).

Locality Madagascar.

Nomenclatural status, an unavailable name (nomen nudum) described as a form after 1961.

Taxonomic status, none, (a specimen (colour form) of *C. textile* Linnaeus, 1758).



Figure in *Malacologia*.

diminutus Trovão & Rolán, 1986.


Published in *Publcoes. Occ. Soc. port. malac.* (7): p. 10, figs 3A, B & C.

Holotype in MNCM, (11.1 x 6.5 mm).

Type locality Sal Rei Bay, Boavista Isl., Cape Verde Islands, (rocks, shallow water).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



discrepans Sowerby I & II, 1833.

Published in Conch. Ill. (*Conus*): pl. 29, fig. 28.

Lectotype representative (Kohn) figure in C. I. pl. 29, fig. 28, (fig. 27 x 17 mm).

Type locality not mentioned.

Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. catus* Hwass, 1792, recognised by Sowerby in 1858.



dispar Sowerby I & II, 1833.

Published in Conch. Ill. (*Conus*): pl. 37, fig. 57.

Lectotype representative (Kohn) figure in C. I. pl. 37, fig. 57, (fig. 22 x 9 mm).

Type locality not mentioned.

Nomenclatural status, an available name

Taxonomic status, a valid species, redescribed by Dall in 1910.



distans "S" Lightfoot, 1786.

Published in Cat. Portland Mus: p. 64, no. 1450, not figured.
Specimen named sold at auction, present whereabouts unknown, (? mm).

Locality not mentioned.

Nomenclatural status, an unavailable name (nomen nudum), named but not described or figured.

Taxonomic status, none, (probably a specimen of *C. distans* Hwass, 1792).

distans Hwass in Bruguière, 1792.

Published in Enc. Méth. 1: p. 634, no. 32, (1798, Tab. Enc. pl. 321, fig. 11).

Lectotype (Kohn) in MHNG, (100 x 51 mm).

Type locality the Pacific Ocean, on the coasts of New Zealand, (erroneous), corrected (C, M & W) the Moluccas, Indonesia.

Nomenclatural status, an available name.

Taxonomic status, a valid species.



dolium Boivin, 1864.

Published in J. Conch. Paris, 12: p. 38, pl. 1, figs 3 & 4.

Holotype was in collection A. Boivin, present whereabouts unknown, (fig. 37 x 22 mm, orig. desc. 36 x 21.5 mm).

Type locality not known, designated (Filmer) the Philippines. Nomenclatural status, an available name.

Taxonomic status, a synonym (form) of *C. pica* Adams & Reeve, 1848.



Figures 3 & 4 in Boivin.

dominicanus (variety *cedonulli* Linnaeus) Hwass in Bruguière, 1792.


Published in Enc. Méth. 1: p. 603, no. 1F, (1798, Tab. Enc. pl. 316, fig. 8).

Lectotype (C, M & W) in ZMUC, (42.4 x 21.3 mm).

Type locality coasts of the Island of Dominica, (Leeward Islands), (erroneous), corrected (Vink & von Cosel) to Mustique, Grenadines, Lesser Antilles.

Nomenclatural status, an available name.

Taxonomic status, a subspecies of *C. cedonulli* Linnaeus, 1767.



dondani Kosuge, 1981.


Published in Bull. Inst. malac. Tokyo, 1 (7): p. 114, pl. 39, figs 8 & 9.

Holotype in IMT, (23.1 x 9.2 mm).

Type locality Panglao (Panglao Island), Bohol, Philippines.

Nomenclatural status, an available name.

Taxonomic status, a valid species.



(*Purpuriconus*) **donnae** Petuch, 1998.


Published in Conchiglia 30 (287): p. 31 & figs.

Holotype in FMNH, (26 x 14 mm).

Type locality Northwesternmost Great Bahama Bank, along Northwest Providence Channel, off East Brothers Cay, N. of North Bimini Isl. and E. of Great Isaac Light, Bahamas, (in carbonate sand under coral slabs and coral rubble on living coral reefs, 3 - 4 mtrs).

Nomenclatural status, an available name.

Taxonomic status, a synonym (colour form) of *C. cardinalis* Hwass, 1792.



donovani (variety *ammiralis* Linnaeus) Dautzenberg, 1937.
Published in Mem. Mus. r. Hist. nat. Belg. 2 (18): p. 20, not figured.

Holotype was in collection Sir E. Lever present whereabouts unknown, holotype representative (C, M & W), figure in Donovan, 1822, pl. 1, fig. 2, (fig. 39 x 17 mm).

Type locality Amboine, (Ambon, Indonesia).

Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. amboinensis* Donovan, 1822, figure cited is the lectotype of *C. amboinensis* Donovan, 1822), (a synonym (form) of *C. ammiralis* Linnaeus, 1758).



"doreyanus" "Blainville" Tomlin, 1937.

Published in Proc. malac. Soc. Lond. 22 (5): p. 241, not figured.
Specimen named whereabouts unknown, (? mm).

Locality New Guinea.

Nomenclatural status, an unavailable name (nomen nudum), no intention to introduce a new name, named but not described or figured.

Taxonomic status, none, (an error as *doreyanus* de Blainville, 1850 is not in Mollusca).

dormitor Pilsbry, 1904.

Published in Proc. Acad. nat. Sci. Philad. 56 (1): p. 6, pl. 1, figs 9 & 9a.

Lectotype (C, M & W) in ANSP, (44 x 16 mm).

Type locality Kikai, Osumi, South Japan, (in a deposit, probably Pliocene).

Nomenclatural status, an available name, an invalid name, a homonym of *C. dormitor* Solander, 1766 (fossil), renamed *C. comatosa* Pilsbry, 1904.



dorotheae Monnier & Limpalaër, 2010.

Published in Visaya vol. 2, no. 6: p.73, pls 1 & 2.

Holotype in MNHN, (26.8 x 14.4 mm).

Type locality West coast of Madelaine Islands, Cape Verde Peninsula, Dakar, Senegal, (small sandy pockets among rocks, 10 - 15 mtrs).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



dorreensis Péron, 1807.

Published in Voyage Decouvertes Terres Australes 1, (Paris): p. 120, not figured.

Holotype was in collection F. Peron in MHNH, destroyed in World War 2, (40 x ? mm).

Type locality "Terre D'Endracht", (Dorre Island, Sharks Bay, West Australia).

Nomenclatural status, an available name.

Taxonomic status, a valid species.

douvillei Fenaux, 1942.

Published in Bull. Inst. oceanogr. Monaco, (814): p. 2, fig. 5.

Holotype whereabouts unknown, (fig. 54 x 26 mm).

Type locality Madagascar.

Nomenclatural status, an available name, an invalid name, a homonym of *C. douvillei* Crossman & Pissarro, 1901 (fossil).

Taxonomic status, a synonym of *C. fuscatus* Born, 1778, (a synonym (form) of *C. imperialis* Linnaeus, 1758).



Figure in Bull. Inst.

drador Hanley, 1859.

Published in J. Linn. Soc. 4 (14): p. 62, not figured.

Specimen named whereabouts unknown, (? mm).

Locality not mentioned.

Nomenclatural status, an unavailable name (nomen nudum), no intention to introduce a new name, named but not described or figured, based on the vernacular name for *C. textile* Linnaeus, 1758, "Drap d'or" appearing in MS of ZIUU.

Taxonomic status, none, (a specimen of *C. textile* Linnaeus, 1758).

drangai Schwengel, 1955.

Published in Nautilus, Philad. 69 (1): p. 13, pl. 2, figs 1 - 7.

Holotype in USNM, (32 x 18.5 mm).

Type locality Salinas Bay, Costa Rica, (West Coast).

Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. orion* Broderip, 1833.



dubitatus (Röding), 1798.

Published in Mus. Bolten 2: p. 46, no. 580, not figured.

Specimen named whereabouts unknown, (? mm).

Locality not mentioned.

Nomenclatural status, an unavailable name (nomen nudum), named but not described or figured.

Taxonomic status, none.

duffy Petuch, 1992.

Published in Conchiglia 22 (262): p. 9, figs 8 - 11.

Holotype in CMNH, (39 x 19 mm).

Type locality western tip of Esparqui, Los Roques Archipelago, Venezuela, (coral reef, 2 mtrs).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



duplicatus Sowerby I, 1823.


Published in The Genera of Recent & Fossil Shells 2 *Conus*, pt. 16: pl. 267, fig. 5.

Holotype was in collection J. Goodall (now in NHMUK) but no longer identifiable, holotype representative (Kohn) figure in Sowerby, pl. 267, fig. 5, (fig. 68 x 30 mm).

Type locality not mentioned, designated (C, M & W) the Solomon Islands, [dubious].

Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. australis* Holten, 1802.



dupontii Kiener, 1845 (1846).

Published in Coq. Viv. 2: pl. 61, fig. 2, (1850, Coq. Viv. 2: p. 273, no. 240).

Holotype was in collection Dupont, present whereabouts unknown, (25 x ? mm), (fig. 27 x 18 mm).

Type locality not mentioned.

Nomenclatural status, an available name.

Taxonomic status, an invalid name, not in Family Conidae, in Family Columbelloidea.



Figures in Coq. Viv.

Leptoconus (*Phasmoconus*) **dusaveli** H. Adams, 1872.


Published in Proc. zool. Soc. Lond. unnumbered (40), pt. 1: p. 12, pl. 3, fig. 17.

Holotype in NMWC, (50.7 x 19.7 mm, orig. desc. 50 x 20 mm).

Type locality Mauritius, (du Savel), [dubious], (from the stomach of a fish).

Nomenclatural status, an available name.

Taxonomic status, a valid species.



duvali Bernardi, 1862.

Published in J. Conch. Paris, 10: p. 404, pl. 13, fig. 3.

Holotype in MNHN, (13.6 x 7.3 mm, orig. desc. 14 x 7.5 mm).

Type locality Guadeloupe, (Leeward Islands).

Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. pusio* Hwass, 1792.



dux Hwass in Bruguière, 1792.


Published in Enc. Méth. 1: p. 732, no. 126, (1798, Tab. Enc. pl. 342, figs 4 & 5).

Lectotype (Kohn) in MHNG, (71 x 27 mm).

Type locality East Indies.

Nomenclatural status, an available name.

Taxonomic status, an objective junior synonym of *C. circumcissus* Born, 1778, same type.



dux (Röding), 1798.

Published in Mus. Bolten 2: p. 44, no. 561/71, not figured.

Lectotype representative (Kohn) figure in Martini, 1773, pl. 58, fig. 648, (fig. 56 x 29 mm).

Type locality not mentioned.

Nomenclatural status, an available name, an invalid name, a homonym of *C. dux* Hwass, 1792.

Taxonomic status, a synonym of *C. maldivus* Hwass, 1792.

